CDF Operations Report March 26-April 2, 2007

Sasha Pronko Fermilab

All Experimenter's Weekly Meeting April 02, 2007




Store Summary (March 26- April 2)

Store	Start Date	Duration (hours)	Initial Lum (E30)	Deliv. Lum (pb ⁻¹)	Live Lum (pb ⁻¹)	Good w/Si (pb ⁻¹)	Comments
5300	3/26 Mon	29.1	223.2	8.03	7.18 89.4%	6.70 83.5%	RF station trip & high losses: Silicon out
5301	3/27 Tue	24.7	200.1	6.61	5.78 87.4%	5.77 87.3%	Minor HV trips TeV: IP position move
5306	3/29 Thu	14.5	259.4	6.53	5.62 86.0%	5.62 86.0%	Minor HV trips
5314	3/31 Sat	21.5	192.7	5.99	5.18 86.3%	5.15 86.0%	Minor HV trips Silicon calibration run
5315	4/1 Sun	11.6	208.1	4.63	4.02 86.9%	4.02 86.9%	Minor HV trips
Total		101.4		31.79	27.78 87.4%	27.27 85.8%	

CDF Operations (March 26- April 2)

- Power glitch & beam abort on Wednesday
 - BLM (radiation monitoring) racks & TeV clock crate lost power
 - SVX & L00 tripped due to loss of TeV clock
 - Radiation dose received ~8000 mRad/s, but no obvious damage to detector
- Controlled Accesses
 - Thanks to AD for granting two accesses
 - Controlled access on 03/29 (Thu)
 - Look for source of Helium leak→ no source of leak found in the Collision Hall
 - Controlled access on 03/30 (Fri)
 - Fixed PS for forward Muon system
- Other Work
 - Silicon calibration runs (performed every ~200 pb⁻¹)
 - monitor stability/longevity of Silicon detector
 - L2 Calorimeter upgrade work
 - Improved L2 Cal trigger to cope with increasing Jet & MET trigger rates at high lumi
 - Jets at L2 will be similar to offline
 - Better resolution for MET \rightarrow lower thresholds & increased acceptance
 - Project making good progress

Store summary...



- 2,184 pb⁻¹ on tape
- Added 27.7 pb⁻¹ this week

Data taking efficiency

All stores

- 1,161 stores; 2,674.7 pb⁻¹ delivered
- Ave. efficiency 81.6%;Good with Silicon 70.2%

Feb 5 – Apr 2

- 45 stores; 282.6 pb⁻¹ delivered
- Ave. efficiency 85.4%;Good with Silicon 83.2%

Last week

- 5 stores; 31.8 pb⁻¹
 delivered
- Ave. efficiency 87.4%;
- Good with Silicon 85.8%

